

## DECLARATION DE CONFORMITE UE

Pour le marquage CE dans l'UE (Union Européenne),

**LOGIFAN SARL** déclare sous sa responsabilité que le produit suivant importé par nos soins et référencé ci-après est conforme et répond aux exigences essentielles et dispositions pertinentes de la législation de l'Union Européenne.

### DIRECTIVES

**DBT (Directive Basse Tension) / LVD (Low Voltage Directive) : 2014/35/UE**

**CEM (Compatibilité Électromagnétique) / EMC (Electromagnetic Compatibility) : 2014/30/UE**

Testé par l'organisme : Waltek Testing Group (Foshan) Co., Ltd.

Rapports : WTF25F07176634J & WTF25F07176635E

### STANDARDS

- EN 60335-1:2012 + A11:2014 + A13:2017 + A1:2019 + A14:2019 + A2:2019 + A15:2021 + A16:2023
- EN 60335-2-80:2003 + A1:2004 + A2:2009
- EN 62233:2008
- EN IEC 60598-1:2021
- EN IEC 60598-2-1:2021

- EN IEC 55014-1:2021
- EN IEC 55014-2:2021
- EN IEC 55015:2019 + A11:2020
- EN IEC 61547:2023
- EN IEC 61000-3-2:2019 + A1:2021 + A2:2024
- EN 61000-3-3:2013 + A1:2019 + A2:2021

Marque(s) : **FANELITE**<sup>®</sup>

Type : Ventilateur de plafond / Ceiling fan

Référence : **SIROCO**

Ean : 3760158350507

Fait à Grand-Case le 27 Septembre 2025

Monsieur Frank Jamain  
(Gérant)



**FANELITE**<sup>®</sup>  
The Famous Caribbean Brand

LOGIFAN SARL

45 Zac Hope Estate  
97150 Saint-Martin  
www.fanelite.com

Registration No. : WTF25F07176634  
Reference No. : WTF25F07176634J  
Applicant : GUANGDONG SHUNDE YONGYI MOUNTAIN AIR  
ELECTRIC & LIGHTING APPLIANCE CO.,LTD.  
Address : NO.6, XiangAnBei RD, ChangXing industrial Dist,  
JUN-AN Town, Foshan City, Guangdong, China  
Manufacturer : The same as above  
Address : The same as above  
Product : Ceiling fan  
Model No. : See the model list at report  
Technical data : See the model list at report

**Test specification:**

EN 60335-1:2012+A11:2014+A13:2017+A1:2019+A2:2019+A14:2019+A15:2021+A16:2023

EN 60335-2-80:2003+A1:2004+A2:2009

EN 62233:2008, EN IEC 60598-1:2021, EN IEC 60598-2-1:2021

Household and similar electrical appliances

Part 1: General requirements Part 2-80: Particular requirements for fans

Measurement methods for electromagnetic fields of household appliances and similar apparatus with regard to human exposure

Luminaires

Part 1: General requirements and tests

Part 2-1: Particular requirements for fixed general purpose luminaires

The above product has been tested by us with the listed standards and found in compliance with the European Directive LVD 2014/35/EU.

The referred test report(s) show that the product have been tested and complies with standard(s) recognized as giving presumption of compliance with the essential requirements in the above-mentioned EU Directive. The conformity assessment procedure prescribed by the applicable EU harmonisation legislation shall be performed.

After preparation of the necessary technical documentation as well as the EU Declaration of Conformity, the CE marking can be affixed on the product under the sole responsibility of the manufacturer.

*The statement is based on one single specimen or several specimens of the product. It does not imply an assessment of the whole production.*

Manager: **Jerry Mu**

Date: 2025-09-27

**Waltek Testing Group (Foshan) Co., Ltd.**

**Hotline: 400-840-2288**

**Http://www.waltek.com.cn**

**E-mail: info@waltek.com.cn**



<b>Test item particulars</b> .....						
Classification of installation and use .....		Fixed appliance and indoor used only				
Supply Connection.....		Permanent connected to fixed wiring				
<b>Possible test case verdicts:</b>						
- test case does not apply to the test object.....		N				
- test object does meet the requirement .....		P(Pass)				
- test object does not meet the requirement .....		F(Fail)				
<b>General remarks:</b>						
"(See Enclosure #)" refers to additional information appended to the report.						
"(See appended table)" refers to a table appended to the report.						
Throughout this report a point is used as the decimal separator.						
<b>General product information:</b>						
1. Ceiling fans with safety rope for household and indoor use only.						
2. The appliances are ceiling fans with or without LED lamp. All models have similar circuit principle and construction. See model list for details.						
Model	Fan power	Motor	Lamp power	Fan blade	Remote receiver	Other difference
60YFT-1035, ALIZE / 60YFA-1002	38W	DC201	--	60" 5 blades	1	Appearance different
60YFT-FF2, OURAGAN / 60YFA-1002	38W	DC201	--	60" 5 blades	1	
56YFT-008C, SOUALIGA	38W	DC201	--	56" 5 blades	1	
60YFT-1015, SIROCO / 60YFA-1002	38W	DC201	--	60" 5 blades	1	
52YFT-807, CILAOS	30W	DC201	--	52" 2 blades	1	
65YFT-801A, NEBA	38W	DC201	--	65" 3 blades	1	
65YFT-801	38W	DC201	--	65" 3 blades	1	
50YFT-833	38W	DC201	--	50 3 blades	1	
52YFT-7063A, TOBAGO	35W	DC201	--	52" 3 blades	1	



52YFT-805, ARATIKA	35W	DC201	--	52" 3 blades	1
54YFT-836L, ABACO, MAUPITI	35W	DC201	20W	54" 5 blades	2
52YFT-7063, SAONA, MAFATE	35W	DC201	20W	52" 3 blades	2
52YFT-1075, GONAVE, DOMINICA	30W	DC201	20W	52" 4 blades	2
56YFT-822, MONA / 56YFA- 008M	38W	DC201	20W	56" 3 blades	2
52YFT-1032, SABA	38W	DC201	20W	52" 5 blades	2
52PRF-3092, TAHAA	38W	DC201	20W	52" 3 blades	2
48YFT-122	22W	DC201	12W	48" 4 blades	2
48YFT-4840	22W	DC201	15W	48" 4 blades	2
52YFT-7062	35W	DC201	20W	52" 3 blades	2
65YFT-168A, SALAZIE	38W	DC201	--	65" 3 blades	1
56YFT-823 /SAMANA	38W	DC201	--	56" 3 blades	1
66YFT-7067, SANDY	55W	DC172×22	22W	66" 6 blades	2
15YFT-V2, EXUMA	20W	DC68×20	36W	15" 7 blades	3
52YFT-811	30W	DC140×20	12W/ 20W	52" 3 blades	4/ 2
52YFT-812	30W	DC140×20	--	52" 3 blades	1
52YFT-52312	35W	DC140×20	20W	52" 3 blades	2
48YFT-52312	30W	DC140×20	20W	52" 3 blades	2



65YFT-801ADY, LIFOU, GUANA, NEBA	35W	154*15	--	65" 3 blades	5	
65YFT-168ADY, ZENA, MOOREA, SALAZIE	35W	154*15	20W	65" 3 blades	6	
52YFT-52318DY, ARATUA	35W	154*15	20W	52" 3 blades	6	
52YFT-52318NL KORO	35W	154*15	--	52" 3 blades	6	
52YFT-2318DY, BALABIO	35W	154*15	20W+2W	52" 3 blades	7	
52YFT- 8038UPDY, LONGANA	35W	154*15	20W+2W	52" 3 blades	7	
60YFT-2318DY	35W	154*15	20W	60" 3 blades	6	
42YFT-326DY, BAABA	20W	154*15	20W	42" 3 blades	6	
52YFT-8168	35W	154*15	20W	52" 4 blades	6	
52YFT-168DY	35W	154*15	20W	52" 3 blades	6	
52YFT-163DY	30W	154*15	20W	52" 3 blades	6	
52YFT-2303DY	35W	154*15	20W	52" 3 blades	6	
52YFT-3105DY	30W	154*15	20W	52" 3 blades	6	
52YFT-23G6DY	30W	154*15	20W	52" 3 blades	6	
52YFT-2368DY	35W	154*15	20W	52" 3 blades	6	
52YFT-23G7DY	35W	154*15	20W	52" 3 blades	6	
52YFT-UP2401, MANIHI	30W	154*15	20W+2W	52" 3 blades	7	Same as 52YFT- 2318DY
56YFT-2356 INAGUA/ ARUBA	35W	154*15	20W	52" 4 blades	6	Same as 52YFT-8168



66YFT-7067A HUAHINE/ RANGIROA/ MAKATEA	55W	155*23	22W	66" 6 blades	NQ- A02028	--
52YFT-1075G RGB QALITO/ QAMEA	30W	153*10	22W+10W RGB	52" 4 blades	NQ- A05086	--
20YFT-WZ-6 RGB OUVEA	20W	DC68X20	36W+20W RGB	20" 7 blades	NQ- A05086	--

# WALTEK

Registration No. : WTF25F07176635  
Reference No. : WTF25F07176635E  
Applicant : GUANGDONG SHUNDE YONGYI MOUNTAIN AIR  
ELECTRIC & LIGHTING APPLIANCE CO.,LTD.  
Address : NO.6, XiangAnBei RD, ChangXing industrial Dist,  
JUN-AN Town, Foshan City, Guangdong, China  
Manufacturer : The same as above  
Address : The same as above  
Product : Ceiling Fan  
Model No. : Refer to test report  
Technical data : Refer to test report



### Test specification:

EN IEC 55014-1:2021  
EN IEC 55014-2:2021  
EN IEC 55015:2019+A11:2020  
EN IEC 61547:2023  
EN IEC 61000-3-2:2019+A1:2021+A2:2024  
EN 61000-3-3:2013+A1:2019+A2:2021

The above product has been tested by us with the listed standards and found in compliance with the European Electromagnetic Compatibility Directive 2014/30/EU. It is possible to use CE marking to demonstrate the compliance with this EMC Directive.

**EN IEC 55014-1: Electromagnetic Compatibility — Requirements for household appliances, electric tools and similar apparatus — Part 1: Emission**

**EN IEC 55014-2: Electromagnetic Compatibility — Requirements for household appliances, electric tools and similar apparatus — Part 2: Immunity product family standard**

**EN IEC 55015: Limits and methods of measurement of radio Disturbance characteristics of electrical lighting and similar equipment.**

**EN IEC 61547: Equipment for general lighting purposes — EMC immunity requirements**

**EN IEC 61000-3-2: Electromagnetic Compatibility (EMC) Part 3-2: Limits for harmonic current emissions(Equipment input current up to and including 16A per phase)**

**EN 61000-3-3: Electromagnetic Compatibility (EMC) Part 3-3: Limitation of voltage supply systems for equipment with rated current  $\leq 16A$  per phase and not subject to conditional connection**

The referred test report(s) show that the product complies with standard(s) recognized as giving presumption of compliance with the essential requirements in the above mentioned EU Directive. Other relevant Directives have to be observed.

After preparation of the necessary technical documentation as well as the conformity declaration, the CE marking as shown below can be affixed on the equipment.



*Danny Zhou*

Manager: **Danny Zhou**

Date: 2025-07-31

The statement is based on a single evaluation of the sample of above mentioned product. It does not imply an assessment of the whole production.

**Waltek Testing Group (Foshan) Co., Ltd.**

Hotline: 400-840-2288

E-mail: [info@waltek.com.cn](mailto:info@waltek.com.cn)

[Http://www.waltek.com.cn](http://www.waltek.com.cn)



### 3.2 Details of E.U.T.

Technical Data ..... : 220-240V~, 50-60Hz

Table A – Models certified in report No. WTF22F03031140W						
Item	Model 1	Model 2	Ratings	Motor Model	PCB Type	Other Difference
1	60YFT-1035	ALIZE	38W for Motor	DC201	A	No Lamp
		60YFA-1002				
2	60YFT-FF2	OURAGAN	38W for Motor	DC201	A	No Lamp
		60YFA-1002				
3	<b>56YFT-008C</b>	SOUALIGA	38W for Motor	DC201	A	No Lamp
4	60YFT-1015	SIROCO	38W for Motor	DC201	A	No Lamp
		60YFA-1002				
5	52YFT-807	CILAOS	30W for Motor	DC201	A	No Lamp
6	65YFT-801A	NEBA	38W for Motor	DC201	A	No Lamp
7	52YFT-7063A	TOBAGO	35W for Motor	DC201	A	No Lamp
8	52YFT-805	ARATIKA	35W for Motor	DC201	A	No Lamp
9	54YFT-836L	ABACO	35W for Motor 20W for LED Lamp	DC201	B	LED Lamp
		MAUPITI				
10	52YFT-7063	SAONA	35W for Motor 20W for LED Lamp	DC201	B	LED Lamp
		MAFATE				
11	52YFT-1075	GONAVE	30W for Motor 20W for LED Lamp	DC201	B	LED Lamp
		DOMINICA				
12	<b>56YFT-822</b>	MONA	38W for Motor 20W for LED Lamp	DC201	B	LED Lamp
		56YFA-008M				
13	52YFT-1032	SABA	38W for Motor 20W for LED Lamp	DC201	B	LED Lamp
14	52YFT-3092	TAHAA	38W for Motor 20W for LED Lamp	DC201	B	LED Lamp
		52PRF-3092				
15	<b>66YFT-7067</b>	SANDY	55W for Motor 22W for LED Lamp	DC172×22	B	LED Lamp
16	<b>15YFT-V2</b>	EXUMA	20W for Motor 36W for LED Lamp	DC68×20	C	LED Lamp
17	<b>52YFT-811</b>	LIFOU	30W for Motor 12W for LED Lamp	DC140×20	B	LED Lamp (integrated with driver)
18	56YFT-823	SAMANA	38W for Motor	DC201	A	No Lamp
		56YFA-008M				
19	65YFT-168A	SALAZIE	38W for Motor 20W for LED Lamp	DC201	B	LED Lamp

**Table B – Models certified in report No. WTF22F05091427W**

No.	Model	Rated Power	Motor	LED PCB	Receiver
1	65YFT-801	38W for motor	DC201	Without LED	A
2	50YFT-833	38W for motor	DC201	Without LED	A
3	<b>48YFT-122</b>	22W for motor, 12W for LED	DC201	2	B
4	<b>52YFT-7062</b>	35W for motor, 20W for LED	DC201	3	B
5	<b>48YFT-4840</b>	22W for motor, 15W for LED	DC201	1	B
6	52YFT-811	30W for motor, 20W for LED	140*20	3	B
7	<b>52YFT-812</b>	30W for motor	140*20	Without LED	A
8	52YFT-52312	35W for motor, 20W for LED	140*20	3	B
9	48YFT-52312	30W for motor, 20W for LED	140*20	3	B

**Table C – Models certified in report No. WTF23F08173433X1E**

Item	Model 1	Model 2	Motor Power	Motor Type	LED Power	Receiver
1	<b>65YFT-801ADY</b>	LIFOU, GUANA, NEBA	35W	154*15	/	A04033
2	65YFT-168ADY	ZENA, MOOREA, SALAZIE	35W	154*15	20W	A05020
3	52YFT-52318DY	ARATUA	35W	154*15	20W	A05020
4	<b>52YFT-2318DY</b>	BALABIO	35W	154*15	20W+2W	A05021
5	52YFT-8038UPDY	LONGANA	35W	154*15	20W+2W	A05021
6	60YFT-2318DY	---	35W	154*15	20W	A05020
7	42YFT-326DY	BAABA	20W	154*15	20W	A05020
8	52YFT-8168	---	35W	154*15	20W	A05020
9	52YFT-168DY	---	35W	154*15	20W	A05020
10	52YFT-163DY	---	30W	154*15	20W	A05020
11	52YFT-2303DY	---	35W	154*15	20W	A05020
12	52YFT-3105DY	---	35W	154*15	20W	A05020
13	52YFT-23G6DY	---	30W	154*15	20W	A05020
14	52YFT-2368DY	---	35W	154*15	20W	A05020
15	52YFT-23G7DY	---	30W	154*15	20W	A05020

**Table D – New added models**

Item	Model 1	Model 2	Motor Power	Motor Type	LED Power	Receiver
1	52YFT-UP2401	MANIHI	30W	154*15	20W+2W	A05021
2	56YFT-2356	INAGUA, ARUBA	35W	154*15	20W	A05020
3	<b>66YFT-7067A</b>	HUAHINE, RANGIROA, MAKATEA	55W	155*23	22W	A02028
4	<b>52YFT-1075G RGB</b>	QALITO, QAMEA	30W	153*10	20W+10W RGB	A05086
5	<b>20YFT-WZ-6 RGB</b>	OUEVA	20W	DC68X20	36W+20W RGB	A05086
6	52YFT-52318NL	KORO	35W	154*15	/	A05021

### 3.3 Description of Support Units

The EUT has been tested as an independent unit. 66YFT-7067A, 52YFT-1075G RGB and 20YFT-WZ-6 RGB are the test samples. The DV, LOOP and RE tests were performed in the condition of AC 240V/50 Hz input. The other tests were performed in the condition of AC 230V/50Hz input.

### 3.4 Standards Applicable for Testing

The tests were performed according to following standards:

EN IEC 55014-1:2021	Electromagnetic compatibility-Requirements for household appliances, electric tools and similar apparatus-Part 1:Emission
EN IEC 55014-2:2021	Electromagnetic compatibility-Requirements for household appliances, electric tools and similar apparatus-Part 2: Immunity Product Family Standard.
EN IEC 55015:2019 +A11:2020	Limits and methods of measurement of radio disturbance characteristics of electrical lighting and similar equipment
EN IEC 61547:2023	Equipment for general lighting purposes - EMC immunity requirements
EN IEC 61000-3-2:2019 +A1:2021+A2:2024	Electromagnetic compatibility (EMC) -- Part 3-2: Limits - Limits for harmonic current emissions (equipment input current up to and including 16 A per phase).
EN 61000-3-3:2013 +A1:2019+A2:2021	Electromagnetic compatibility (EMC) -- Part 3-3: Limits - Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current $\leq 16$ A per phase and not subject to conditional connection.